

SUBJECT INDEX

- Abuse
 childhood sexual, group therapy for survivors of, 151 (Letter)
- Acute psychiatric nursing care
 physical restraint as a nursing-sensitive adverse outcome in, 175–182
- African Americans
 with diabetes, psychosocial characteristics and cardiovascular risk in, 226–232
- Aggression
 inpatient, cross-cultural differences in psychiatric nurses' attitudes to, 82–92
- Agitation
 in relation to social interaction and premorbid personality, in nursing home residents with dementia, 12–18
- Alcohol awareness, 203–204 (Editorial)
- American Indian worldview
 and sense of belonging, 210–212
 literature review, 212–213
 sociohistorical disruption of, 213–215
- Anger
 relation to job motivation among psychiatric nurses, 268–274
- Antipsychotics
 for community-dwelling elders with dementia, outcomes, 217–224
- Anxiety
 and cardiovascular risk in African Americans with diabetes mellitus, 226–232
- Archives of Psychiatric Nursing*, new initiatives and frontiers, 157 (Editorial)
- Assisted suicide
 and Oregon Death with Dignity Act, 53–54 (Editorial)
- Attitudes
 of psychiatric nurses to inpatient aggression, cross-cultural differences in, 82–92
- Australia
 Victoria, psychiatric/mental health nursing education in, 76–79
 specialist programs, 78–79
 undergraduate curricula, 77–78
- BE SMART, *see* Become Empowered: Symptom Management for Abuse and Recovery from Trauma
- Become Empowered: Symptom Management for Abuse and Recovery from Trauma (BE SMART), trauma reframing psychoeducation program
 conceptual framework, 23–29
 curriculum, 29
 development, 22
- Burden
 and mastery and areas of concern, among family caregivers of mentally ill persons, 41–50
- Burnout
 and defense mechanism, relation to hopelessness and suicide risk among psychiatric nurses, 135–142
 in nurses *versus* partners of persons with schizophrenia and depression, 158–164
- Cardiovascular disease
 risk in African Americans with diabetes, and psychosocial characteristics, 226–232
- Caregivers
 nurses *vs.* partners, of persons with schizophrenia and depression, burnout in, 158–164
- Caregiving
 for mentally ill family member, mastery, burden and areas of concern, 41–50
- Childhood sexual abuse
 group therapy for survivors of, 151 (Letter)
- Children
 parent satisfaction on mental health services of, 65–74
- Cognitive impairment
 mild, risk in older adults, 126–132
- Cognitive-behavioral group therapy
 impact on patient depression and self-esteem, 3–10
- College women
 with stalking experiences, mental health and lifestyle changes in, 108–115
- Communication training
 inservice, to develop empathy in nurses, 249–256
- Community-dwelling elders
 with dementia, outcomes of antipsychotics for, 217–224
- Comparative optimism
 relation to trait and situational optimism, 144–149
- Condom
 and substance use and risk-taking sexual behavior, among YMCW, 32–39
- Consumer satisfaction model
 to evaluate parent satisfaction with children's mental health services, 65–74
- Cross-cultural differences
 in psychiatric nurses' attitudes to inpatient aggression, 82–92
- Defense mechanism
 and burnout, relation to hopelessness and suicide risk among psychiatric nurses, 135–142
- Dementia
 outcomes of antipsychotics for community-dwelling elders with, 217–224

- Dementia (continued)
 residents in nursing home, relationship among social interaction, premorbid personality, and agitation, 12–18
- Depression
 burnout in nurses *versus* partners of persons with, 158–164
 and cardiovascular risk in African Americans with diabetes mellitus, 226–232
 and self-esteem, impact of cognitive–behavioral group therapy, 3–10
- Diabetes mellitus
 psychosocial characteristics and cardiovascular risk in African Americans with, 226–232
 self-care in individuals with, 55–62
- Doctor of nursing practice, 245 (Editorial)
 faculty perspective, 291–292 (Editorial)
- Education
 in psychiatric nursing, in Victoria, Australia, 76–79
 specialist programs, 78–79
 undergraduate curricula, 77–78
- Elderly
 community-dwelling, with dementia, outcomes of antipsychotics for, 217–224
 living alone *versus* with relatives, health status of, 193–200
 risk of mid cognitive impairment in, 126–132
- Emergency department
 visits for suicidality in three hospitals, 117–124
- Emotional health
 of older people living alone *versus* with relatives, 193–200
- Empathy
 in nurses, developed by inservice communication training, 249–256
- Evidence-based nursing
 and mental health, 105–107
- Extraversion
 in relation to social interaction and agitation, in nursing home residents with dementia, 12–18
- Family caregiving
 for mentally ill, mastery, burden and areas of concern, 41–50
- Grandparents
 homes headed by, *versus* parent-headed homes, influence in future offending by youth, 258–266
- Group intervention research
 methodological issues in, 276–280
 nonindependent observations, 278–279
 sample considerations, 280
 selection of unit of analysis, 279
- Group therapy
 cognitive–behavioral, impact on patient depression and self-esteem, 3–10
 for survivors of childhood sexual abuse, 151 (Letter)
- Health care
 integration of mental and physical health care, 247–248 (Editorial)
- Health status
 of older people living alone *versus* with relatives, 193–200
- Homes
 grandparent-headed *versus* parent-headed, influence in future offending by youth, 258–266
- Hopelessness
 and suicide risk, relation to defense mechanism and burnout among psychiatric nurses, 135–142
- Inpatient aggression
 cross-cultural differences in psychiatric nurses' attitudes to, 82–92
- Inpatient psychiatric treatment, 242–244
- Inservice communication training
 to develop empathy in nurses, 249–256
- Interaction
 social, in relation to premorbid personality and agitation, in nursing home residents with dementia, 12–18
- International Society of Psychiatric–Mental Health Nurses (ISPN)
 2006 conference and keynote speaker, 52 (Announcement)
 creating an organizational diversity vision, 152–156
 Foundation Nursing Research Grant, call for proposals, 246 (Announcement), 299 (Announcement)
- ISPN, *see* International Society of Psychiatric–Mental Health Nurses
- Job motivation
 relation to anger among psychiatric nurses, 268–274
- Lifestyle changes
 and mental health, in college women with stalking experiences, 108–115
- Living environment
 alone *versus* with relatives, influence on health status of older people, 193–200
- Mastery
 and burden and areas of concern, among family caregivers of mentally ill persons, 41–50
- Mental health
 and evidence-based nursing, 105–107
 and lifestyle changes, in college women with stalking experiences, 108–115
 of older people living alone *versus* with relatives, 193–200
- Mental health care
 integration with physical health care, 247–248 (Editorial)

- Mental health nursing education, *see* Education, in psychiatric nursing
- Mental health services
of children, parent satisfaction on, 65–74
- Mental illness
mastery, burden and areas of concern among family caregivers, 41–50
patients' experiences of being understood, 234–240
severe, physical health in patients with, 205–208
- Motivation
job, relation to anger among psychiatric nurses, 268–274
- Nurse
psychiatric, future of, 1–2 (Editorial)
- Nurse-patient relationship
patients' experiences of being understood, 234–240
- Nurse practitioners, psychiatric
cross-cultural differences in attitudes to inpatient aggression, 82–92
versus partners, of persons with schizophrenia and depression, burnout in, 158–164
relation of anger to job motivation, 268–274
relation of burnout and defense mechanism to hopelessness and suicide risk, 135–142
role of, 103 (Letter)
views on care for non-suicidal self-harming patients, 186–192
- Nurses
developing empathy by inservice communication training, 249–256
- Nursing homes
relationship among social interaction, premorbid personality, and agitation in residents with dementia, 12–18
- Nursing practice, doctorate degree, 245 (Editorial)
faculty perspective, 291–292 (Editorial)
- Offending
future, by youth, influence of grandparent-headed *versus* parent-headed homes, 258–266
- Older adults, *see* Elderly
- Optimism
comparative, relation to trait and situational optimism, 144–149
- Oregon Death with Dignity Act, 53–54 (Editorial)
- Outcomes
adverse, in acute psychiatric care, physical restraint as, 175–182
antipsychotics for community-dwelling elders with dementia, 217–224
trauma psychoeducation, 94–101
- Parasuicide
nurses' views on psychiatric nursing care for patients, 186–192
- Parent satisfaction
with children's mental health services, 65–74
- Parents
homes headed by, *versus* grandparent-headed homes, influence in future offending by youth, 258–266
- Partners
versus nurses, of persons with schizophrenia and depression, burnout in, 158–164
- Personality
premorbid, in relation to social interaction and agitation, in nursing home residents with dementia, 12–18
- Physical health
of older people living alone *versus* with relatives, 193–200
of severe mentally ill patients, 205–208
- Physical health care
integration with mental health care, 247–248 (Editorial)
- Physical restraint
as a nursing-sensitive adverse outcome in acute psychiatric care, 175–182
- Premorbid personality
in relation to social interaction and agitation, in nursing home residents with dementia, 12–18
- Privacy
lack of, in psychiatric wards, relation to patients' views on seclusion, 282–286
- Psychiatric nurses, *see* Nurse practitioners, psychiatric
- Psychiatric nursing
future of, 1–2 (Editorial)
- Psychiatric nursing care
acute, physical restraint as a nursing-sensitive adverse outcome in, 175–182
for non-suicidal self-harming patients, nurses' views on, 186–192
patients' experiences of being understood, 234–240
- Psychiatric nursing education, *see* Education, in psychiatric nursing
- Psychiatric treatment
inpatient, 242–244
- Psychiatric wards
lack of privacy in, relation to patients' views on seclusion, 282–286
- Psychoeducation
BE SMART program
conceptual framework, 23–29
curriculum, 29
development, 22
for trauma-related disorders, wellness outcomes, 94–101
- Psychotropic medication
adherence to, and substance cessation, stages of change for, 166–173
- Reoffending
by youth, influence of grandparent-headed *versus* parent-headed homes, 258–266

- Research
 in group intervention, methodological issues in, 276–280
 nonindependent observations, 278–279
 sample considerations, 280
 selection of unit of analysis, 279
- Risk
 for cardiovascular disease in African Americans with diabetes, and psychosocial characteristics, 226–232
 for mild cognitive impairment in older adults, 126–132
 for suicide, and hopelessness, relation to defense mechanism and burnout among psychiatric nurses, 135–142
- Risk-taking
 sexual behavior, and condom and substance use, among YMCW, 32–39
- Satisfaction
 of parent with children's mental health services, 65–74
- Schizophrenia
 burnout in nurses *versus* partners of persons with, 158–164
 self-care in individuals with, 55–62
- Seclusion
 patients' views on, relation to lack of privacy in psychiatric wards, 282–286
- Self-care
 in individuals with schizophrenia and diabetes mellitus, 55–62
- Self-esteem
 and depression, impact of cognitive–behavioral group therapy, 3–10
- Self-harm
 nonsuicidal patients, nurses' views on psychiatric nursing care for, 186–192
- SeniorWISE study
 risk for mild cognitive impairment in older adults, 126–132
- Sense of belonging
 and American Indian worldview, 210–212
 sociohistorical disruption of, 213–215
 literature review, 212–213
- Sexual abuse
 childhood, group therapy for survivors of, 151 (Letter)
- Sexual behavior
 risk-taking, and condom and substance use, among YMCW, 32–39
- Situational optimism
 relation to trait and comparative optimism, 144–149
- Social interaction
 in relation to premorbid personality and agitation, in nursing home residents with dementia, 12–18
- Social support, perceived
 and cardiovascular risk in African Americans with diabetes mellitus, 226–232
- Stalking
 mental health and lifestyle changes in college women with experiences of, 108–115
- Substance abuse
 cessation of, and psychotropic medication adherence, stages of change for, 166–173
 and recovery, 288–290
- Substance use
 and condom use and risk-taking sexual behavior, among YMCW, 32–39
- Suicidality
 emergency department visits for, 117–124
- Suicide
 assisted, and Oregon Death with Dignity Act, 53–54 (Editorial)
 risk, and hopelessness, relation to defense mechanism and burnout among psychiatric nurses, 135–142
- Survivors
 of childhood sexual abuse, group therapy for, 151 (Letter)
- Trait optimism
 relation to situational and comparative optimism, 144–149
- Trauma
 wellness outcomes of psychoeducation for, 94–101
- Trauma Reframing Therapy (TRT)
 BE SMART psychoeducation program
 conceptual framework, 23–29
 curriculum, 29
 development, 22
- TRT, *see* Trauma Reframing Therapy
- Wards
 psychiatric, lack of privacy in, relation to patients' views on seclusion, 282–286
- Wellness
 BE SMART trauma reframing psychoeducation program
 conceptual framework, 23–29
 curriculum, 29
 development, 22
 outcomes of trauma psychoeducation, 94–101
- Women
 college, with stalking experiences, mental health and lifestyle changes in, 108–115
 young multiethnic college, condom use, substance use and risk-taking sexual behavior among, 32–39
- YMCW, *see* Young multiethnic college women
- Young multiethnic college women (YMCW)
 condom use, substance use and risk-taking sexual behavior among, 32–39
- Youth
 influence of grandparent-headed *versus* parent-headed homes in future offending by, 258–266